

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Aa: Alluvial Land-----	100	Not rated		Not rated	
Ad: Alluvial Land-----	100	Not rated		Not rated	
Be: Beaches-----	100	Not rated		Not rated	
BlA: Beltsville-----	95	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Seepage Depth to saturated zone	1.00 0.25
BlB2: Beltsville-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Seepage Slope Depth to saturated zone	1.00 0.32 0.25
BlB3: Beltsville-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Seepage Slope Depth to saturated zone	1.00 0.32 0.25

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BlC2: Beltsville-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Slope Seepage Depth to saturated zone	1.00 1.00 0.25
BlC3: Beltsville-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Slope Seepage Depth to saturated zone	1.00 1.00 0.25
Bm: Bibb-----	100	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Seepage	1.00 0.50
BrB2: Bourne-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Seepage Slope Depth to saturated zone	0.50 0.32 0.25
BrC3: Bourne-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Slope Seepage Depth to saturated zone	1.00 0.50 0.25
CaB2: Caroline-----	100	Very limited Restricted permeability	1.00	Somewhat limited Slope	0.32
CaC2: Caroline-----	100	Very limited Restricted permeability	1.00	Very limited Slope	1.00
CaC3: Caroline-----	100	Very limited Restricted permeability	1.00	Very limited Slope	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CaD2: Caroline-----	100	Very limited Restricted permeability Slope	1.00 0.84	Very limited Slope	1.00
CaD3: Caroline-----	100	Very limited Restricted permeability Slope	1.00 0.84	Very limited Slope	1.00
ChA: Chillum-----	100	Somewhat limited Restricted permeability	0.68	Somewhat limited Seepage	0.50
ChB2: Chillum-----	100	Somewhat limited Restricted permeability	0.68	Somewhat limited Seepage Slope	0.50 0.32
ChC2: Chillum-----	100	Somewhat limited Restricted permeability Slope	0.68 0.04	Very limited Slope Seepage	1.00 0.50
ChC3: Chillum-----	100	Somewhat limited Restricted permeability Slope	0.68 0.04	Very limited Slope Seepage	1.00 0.50
CrB2: Croom-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.32
CrC2: Croom-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00
CrD2: Croom-----	100	Very limited Filtering capacity Slope Restricted permeability	1.00 0.84 0.68	Very limited Slope Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CrD3: Croom-----	100	Very limited Filtering capacity Slope Restricted permeability	1.00 0.84 0.68	Very limited Slope Seepage	1.00 1.00
Cu: Cut And Fill Land---	100	Not rated		Not rated	
Ek: Elkton-----	50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Not limited	
Elkton-----	50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Not limited	
EvB: Evesboro-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.32
EvC: Evesboro-----	100	Very limited Filtering capacity Slope	1.00 0.63	Very limited Slope Seepage	1.00 1.00
EwC2: Evesboro-----	60	Very limited Filtering capacity Slope	1.00 0.04	Very limited Seepage Slope	1.00 1.00
Westphalia-----	40	Somewhat limited Restricted permeability Slope	0.50 0.04	Very limited Slope Seepage	1.00 1.00
EwD2: Evesboro-----	60	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
Westphalia-----	40	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
EwE2: Evesboro-----	60	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
Westphalia-----	40	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 1.00
FaB: Faceville-----	100	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage Slope	0.50 0.08
Fs: Fallsington-----	50	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage	1.00
Fallsington-----	50	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage	1.00
Gp: Gravel Pits-----	100	Not rated		Not rated	
KeC2: Kempsville-----	100	Somewhat limited Restricted permeability	0.50	Very limited Seepage Slope	1.00 1.00
KeC3: Kempsville-----	100	Somewhat limited Restricted permeability	0.50	Very limited Seepage Slope	1.00 1.00
KeD2: Kempsville-----	100	Somewhat limited Slope Restricted permeability	0.84 0.50	Very limited Slope Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
KeD3: Kempsville-----	100	Somewhat limited Slope Restricted permeability	0.84 0.50	Very limited Slope Seepage	1.00 1.00
KpA: Keyport-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone	0.96
KpB2: Keyport-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone Slope	0.96 0.32
KrA: Keyport-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone	0.96
KrB2: Keyport-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone Slope	0.96 0.32
KrC2: Keyport-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Slope Depth to saturated zone	1.00 0.96
Kz: Klej-----	95	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.82	Very limited Seepage Slope	1.00 0.08
Le: Leonardtown-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MaB2: Marr-----	100	Somewhat limited Restricted permeability	0.50	Very limited Seepage Slope	1.00 0.32
MaC2: Marr-----	100	Somewhat limited Restricted permeability Slope	0.50 0.04	Very limited Seepage Slope	1.00 1.00
MaC3: Marr-----	100	Somewhat limited Restricted permeability Slope	0.50 0.04	Very limited Seepage Slope	1.00 1.00
MmA: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage	1.00
MmB2: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage Slope	1.00 0.32
MnA: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage	1.00
MnB2: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage Slope	1.00 0.32
MnC3: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Slope Seepage	1.00 1.00
MtA: Mattapex-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MtB2: Mattapex-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.32
MuA: Mattapex-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Seepage	1.00
MuB2: Mattapex-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.32
MuC2: Mattapex-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00
On: Othello-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Somewhat limited Seepage	0.32
Ot: Othello-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Somewhat limited Seepage	0.32
RuB: Rumford-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.08
RuC2: Rumford-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SaA: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage	1.00
SaB2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.32
SaC2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00
SaC3: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00
SaD2: Sassafras-----	100	Very limited Filtering capacity Slope Restricted permeability	1.00 0.84 0.68	Very limited Slope Seepage	1.00 1.00
SaD3: Sassafras-----	100	Very limited Filtering capacity Slope Restricted permeability	1.00 0.84 0.68	Very limited Slope Seepage	1.00 1.00
SfA: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage	1.00
SfB2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SmC2: Sassafras-----	65	Very limited Filtering capacity Restricted permeability Slope	1.00 0.50 0.04	Very limited Slope Seepage	1.00 1.00
Chillum-----	35	Somewhat limited Restricted permeability Slope	0.68 0.04	Very limited Slope Seepage	1.00 0.50
SmC3: Sassafras-----	65	Very limited Filtering capacity Restricted permeability Slope	1.00 0.50 0.04	Very limited Slope Seepage	1.00 1.00
Chillum-----	35	Somewhat limited Restricted permeability Slope	0.68 0.04	Very limited Slope Seepage	1.00 0.50
Tm: Tidal Marsh-----	100	Not rated		Not rated	
WeB2: Westphalia-----	100	Somewhat limited Restricted permeability	0.50	Very limited Seepage Slope	1.00 0.32
WeC2: Westphalia-----	100	Somewhat limited Restricted permeability Slope	0.50 0.04	Very limited Slope Seepage	1.00 1.00
WeC3: Westphalia-----	100	Somewhat limited Restricted permeability Slope	0.50 0.04	Very limited Slope Seepage	1.00 1.00
WsA: Woodstown-----	100	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WsB: Woodstown-----	100	Very limited Depth to saturated zone	1.00	Very limited Seepage Slope	1.00 0.32
WsC2: Woodstown-----	100	Very limited Depth to saturated zone	1.00	Very limited Slope Seepage	1.00 1.00

